
TRANSMITTER
1
INPUT
2
INPUT
3
DIVIDER
3
2
1
MODULATOR
4
MODULATOR INPUT
61
SIGNAL POINT SHIFTING CIRCUIT
67
3
2
1
1st AM
64
Cos2 π fct
CARRIER GENERATOR
64
π/2 PHASE SHIFTER
66
Sin2 π fct
2nd AM
63
SUMMER
65
TRANS-MIT
5

FIG. 2

FIG. 10




DIGITAL TRANSMITTER
54
MODULATOR
55
TRANS-MIT
65
SUMMER
122
1st TWO-PHASE SHIFTER MOD CIRCUIT
Cos2 π fct
64
CARRIER GENERATOR
66
π/2 PHASE SHIFTER
-Sin2 π fct
123
2nd TWO-PHASE SHIFTER MOD CIRCUIT
121
MODULATOR INPUT
52
INPUT

FIG. 17


TRANSPONDER
10
12
21
22
31
32
41
42
57
56
6
7
TRANSMITTER
TRANSMIT
MOD
1
2
3
4
5
MULTIPLEXER
412
1st MUX
2nd MUX
3rd MUX
413
414
415
1ST VIDEO ENCODER
2ND VIDEO ENCODER
3RD VIDEO ENCODER
4TH VIDEO ENCODER
401
COMPRESSOR
DIVIDER
INPUT
402
403
404
406
407
408
409
410
411
1st VIDEO DECODER
2nd VIDEO DECODER
3rd VIDEO DECODER
421
422
423
425
426
427
428
1st RECEIVER
2nd RECEIVER
3rd RECEIVER
1st DATA REPRODUCER
2nd DATA REPRODUCER
3rd DATA REPRODUCER
23
33
43
232
233
234
DIGITAL TRANSMITTER
TRANS-MIT
MOD
INPUT
51
52
54
55

FIG. 29


661
sin 16 θ
674
670
673
671
ADDER
672
SUB-
TRACTOR
542
OUTPUT
sin 4 θ
cos 4 θ
666
669
667
ADDER
668
SUB-
TRACTOR
546
LOOP FILTER
665
664
662
ADDER
663
SUB-
TRACTOR
sin θ
cos θ
547
VCD
541
SYNCH
DETECTOR

FIG. 48


425
SDTV (NORMAL)
426
SDTV (WIDE)
427
HDTV
781
TV RECEIVER
780
OUT-PUT
779
ASPECT RATIO CHANGE
422
2nd VIDEO DECODER
546
OUT-PUT
548
VIDEO MIXER
HLVL
535 HLVH
536 HHVL
537 HHVH
523
1st EXPANDER
2nd EXPANDER
3rd EXPANDER
4th EXPANDER
531
DIVIDER
502
DESCRAMBLER
521
1st INPUT
2nd INPUT
531
DESCRAMBLE DATA
HEADER OF IMAGE DATA
PICTURE QUALITY CONTROL
782
ERROR RATE DETECTOR
776
DIVIDER
777
DIVIDER
768
SUMMER
FILTER ON/OFF CONTROL
751
RECEIVER
HIGH PRIORITY
768
1st DATA STREAM
2nd DATA STREAM
759
LOW PRIORITY
760a
ANALOG TV FILTER
760
DETECTOR
VSB DEMODU-LATOR
752
INPUT
32a

FIG. 65


TV RECEIVER
781
OUTPUT
780
2ND VIDEO DECODER
422
DIVIDER
788
DIGITAL TV SIGNAL
ANALOG TV SIGNAL
D1
D2
35
QAM DEMODULATOR
1
2
1st DATA STREAM
758
2nd DATA STREAM
759
757
DISCR/DEMOD
8-LEVEL SLICER
16-LEVEL SLICER
VIDEO DEMODULATOR
756
LPF
755
DETECTOR
VSB DEMODULATOR
760
753
MIXER
VARIABLE OSCILLATOR
754
34
INPUT
752
INPUT
752a
CATV DECODER
QAM
VSB OR QAM
VSB OR QAM
786
787
32
32a

FIG. 67


3
DIVIDER
895
404a
DIVIDER
HHVH
HLVH
HHVL
HLVL
in
772a
MIXER
1
2
3
HHVH-H
404b
DIVIDER
HHVH
HLVH
HHVL
HLVL
in
772b
MIXER
1
2
3
HH
HL
405d
COMPRESSOR
2-2
D2-2
405c
COMPRESSOR
2-1
D2-2
HLVL
404c
DIVIDER
HHVH
HLVH
HHVL
HLVL
in
772c
MIXER
1
2
3
LH
LL
405b
COMPRESSOR
1-2
D1-2
405a
COMPRESSOR
1-1
D1-1

FIG. 93

FIG. 112


SUBCHANNEL-1 (SRQAM:D1 = 2bit)
Q
740a
742a
10
11
I
00
01
SUBCHANNEL-2 (16-SRQAM:D2 = 2bit)
Q
740a
742b
10
11
00
01
I
CODE WORD-1
CODE WORD-2
741a
11
2bit
741b
11
2bit
741c
11
2bit
741d
11
2bit
8bit
SUBCHANNEL-3 (64-SRQAM:D3 = 2bit)
Q
740c
742c
10
11
00
01
I
CODE WORD-3
SUBCHANNEL-4 (256-SRQAM:D4 = 2bit)
CODE WORD-4
Q
740d
742d
11
10
01
00
I
741
SIGNAL POINT
CODE WORD
11 11 11 11


MAGNETIC RECORDING/PLAYBACK APPARATUS
855
854
RECORDING/PLAYBACK CIRCUIT
853
857a
857b
856
BIAS GENERATOR
858
CARRIER REPRODUCTION
FILTER
858a
858b
1/2
MODULATOR /DEMODULATOR
852
749
C-CDM MODULATOR
760
C-CDM DEMODULATOR
CARRIER
fc
INPUT SECTION
742
743
1st DATA STREAM INPUT
743a
743c
D1
D1-1
TDM
D1-2
ECC HIGH GAIN
ECC NOR-MAL GAIN
2nd DATA STREAM INPUT
744
744b
D2
TRELLIS ENCODER
744a
ECC
OUTPUT SECTION
757
758
1st DATA STREAM OUTPUT
758a
758c
D1
759
2nd DATA STREAM OUTPUT
759b
759a
401
401c
401d
743b
VIDEO ENCODER
401a
1st VIDEO ENCODER
1-1 VIDEO ENCODER
1-2 VIDEO ENCODER
401b
2nd VIDEO ENCODER
402
402c
402d
758b
VIDEO DECODER
402a
1st VIDEO DECODER
1-1 VIDEO DECODER
1-2 VIDEO DECODER
402b
2nd VIDEO DECODER
(HDTV SIGNAL)
(LDTV)
(EDTV)
(HDTV)

FIG. 131


TRANSMITTER
RECEIVER
RF
RECEIVED SIGNAL
(HDTV SIGNAL)
TRANSMITTING CIRCUIT
UP CONVERTER
INPUT CIRCUIT
DOWN CONVERTER
OFDM-C-CDM MODULATOR
OFDM MODULATOR
MODULATOR
FDM
IFFT
SERIAL TO PARALLEL
1-2 C-CDM 1 2 MODULATION
INPUT SECTION
1st DATA STREAM INPUT
2nd DATA STREAM INPUT
ECC HIGH GAIN
ECC NORMAL GAIN
TRELLIS ENCODER
ECC
VIDEO ENCODER
1st VIDEO ENCODER
1-1 VIDEO ENCODER
1-2 VIDEO ENCODER
2nd VIDEO ENCODER
OFDM-C-CDM MODULATOR
OFDM DEMODULATOR
DEMODULATOR
FFT
C-CDM DEMODULATION
OUTPUT SECTION
1st DATA STREAM OUTPUT
2nd DATA STREAM OUTPUT
TRELLIS DECODER
VIDEO DECODER
1st VIDEO DECODER
1-1 VIDEO DECODER
1-2 VIDEO DECODER
2nd VIDEO DECODER
SUMMER
(LDTV)
(EDTV)
(HDTV)

FIG. 138


TRANSMITTER
RECEIVER
RF
RECEIVED SIGNAL
(HDTV SIGNAL)
TRANSMIT CIRCUIT
UP CONVERTER
INPUT CIRCUIT
DOWN CONVERTER
D/A CONVERTER
A/D CONVERTER
IFFT
FFT
WEIGHTED OFDM-MODULATOR
WEIGHTED MODULATOR
MOD.
WEIGHTED OFDM-DEMODULATOR
WEIGHTED DEMODULATOR
DEMOD.
SERIAL TO PARALLEL
INPUT SECTION
1st DATA STREAM INPUT
2nd DATA STREAM INPUT
ECC
HIGH GAIN
ECC NORMAL GAIN
TDM
TRELLIS ENCODER
OUTPUT SECTION
1st DATA STREAM OUTPUT
2nd DATA STREAM OUTPUT
TRELLIS DECODER
VIDEO ENCODER
1st VIDEO ENCODER
1-1 VIDEO ENCODER
1-2 VIDEO ENCODER
2nd VIDEO ENCODER
VIDEO DECODER
1st VIDEO DECODER
1-1 VIDEO DECODER
1-2 VIDEO DECODER
2nd VIDEO DECODER
SUMMER
(LDTV)
(EDTV)
(HDTV)

FIG. 144


COMPARISON OF REDUNDANCY
DATA RATE REQUIREMENT FOR COMPRESSED DIGITAL HDTV BROADCASTING
REDUNDANCY: R8 =100%
REDUNDANCY: R8 =50%
REDUNDANCY: R4 = 10%
16 - VSB
8 - VSB
4 - VSB
TRANSFER RATE [Mbps]
40
30
20
10
0

FIG. 169


12 TRANSPONDER
13
10
11
7
6
TRANSMITTER
1
2
IN-PUT
DIVIDER
3
MOD
4
TRANS-MIT
5
57
56
DIGITAL TRANSMITTER
51
IN-PUT
52
MOD
54
TRANS-MIT
55
58
21
22
1st RECEIVER
23
IN-PUT
24
DEMOD
25
OUTPUT
26
31
32
2nd RECEIVER
33
IN-PUT
34
DEMOD
35
MIXER
37
OUT-PUT
36
41
42
3rd RECEIVER
43
IN-PUT
44
DEMOD
45
MIXER
47
OUT-PUT
46

FIG. 1


(Sin2 π fct)
Q
(Cos2 π fct)
I
C22
C21
C12
C11
85
86
84
83
81
82
a1
a2
a3
a4
A1
A2
B1
B2
b1
b2
b3
b4

FIG. 3


(Sin2 π fct)
Q
(Cos2 π fct)
I
0
81
85
C22
86
C21
84
C12
83
C11
C42
C31
a1
a2
a3
a4
A1
A2
B1
B2
b1
b2
b3
b4

FIG. 4


(Sin2 π fct)
Q
I (Cos2 π fct)
85
C22 (1111)
86
C21 (1110)
84
C12
83
C11 (1010)
(1011)
(11)
(10)
(01)
(00)
a1
a2
a3
a4
A1
A2
B1
B2
b1
b2
b3 (01)
b4 (00)
0
(1101)
(1100)
(1001)
(1000)
(0111)
(0110)
(0101)
(0100)
(0011)
(0010)
(0001)
(0000)

FIG. 5

FIG. 6



FIG. 7



FIG. 8





FIG. 9


r2
n
r2 = 2 / √(n-1) r1
101
102
103
104
105
5r1
4r1
3r1
2r1
1r1
0
1
2
3
4
5
6
7
8
9
10

FIG. 11

FIG. 12




r3
10r1
9r1
8r1
7r1
6r1
5r1
4r1
3r1
2r1
1r1
0
n
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
r3 = 6 / √(n-1) r1

FIG. 13



FIG. 14

FIG. 15


(01)
206
(11)
205
(01)
202
(11)
201
B2/6
182
181
208
(01)
207
(00)
203
(00)
204
(10)
B2
91
(01)
210
(11)
209
(01)
214
(01)
213
B2/6
183
184
211
(00)
212
(10)
215
(00)
216
(10)
B1
A2/6
2/3 A2
A2/6
A1
A2


FIG. 16
r3 = 12/√(n-1) r1
r2 = 3/√(n-1) r1
221
222
223
223
20r1
15r1
10r1
5r1
0
r3 • r2
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16
n16 • n64

FIG. 18


129c
Q (Sin2 π fct)
129
(01)
126
b1
(11)
125
ATO
I (Cos2 π fct)
a2
0
ATO
a1
129b
129a
(00)
(10)
b2
127
128


22
23
24
25
26
1st RECEIVER
DEMODULATOR
INPUT
OUT-PUT
1ST DATA STREAM REPRO-DUCER
SIGNAL POINT POSITION DEMOD-ULATOR
TIMING EXTRACTOR
1ST DISCR/ DEMOD CIRCUIT
2ND DISCR/ DEMOD CIRCUIT
1ST PHASE DETECTOR
2ND PHASE DETECTOR
π/2 PHASE SHIFTER
CARRIER REPRODUCER
131
132
133
134
135
136
137
138

FIG. 19

FIG. 20




2nd RECEIVER
DEMODULATOR
33
35
32
34
INPUT
36
OUT-PUT
37
MIXER
232
1st DATA STREAM REPRODUCER
233
2nd DATA STREAM REPRODUCER
231a
231
DEMODULATION CONTROLLER
MEMORY
135
TIMING EXTRACTOR
136
1st DISCR/ DEMOD. CIRCUIT
137
2nd DISCR/ DEMOD. CIRCUIT
133
1st PHASE DETECTOR
134
2nd PHASE DETECTOR
132
π/2 PHASE SHIFTER
131
CARRIER REPRO-DUCER

FIG. 21

FIG. 22


92
91
85
84
B2 / B1 + B2
83
86
TH16
B1 / B1 + B2
TH16 = A2 / A1 + 2 / A1 + A2
TH16
S1
S2
A1 / A1 + A2
S3
A2 / A1 + A2
1
S4
4 - SLICE LEVELS
93
94


201
181
204
213
184
216
202
203
214
215
205
208
209
212
206
182
207
210
183
211
A3
A3
TH16
TH16 = A2/(A1+A2) TH16
A2/(A1+A2)
A1/(A1+A2)
B2
B1

FIG. 23

FIG. 24


313
2-SLICE LEVEL DEMODULATION (4-PSK OR 2-VSB)
301
1ST DATA REPRODUCTION
302
REPRODUCTION OF MODULATED DATA
MOD FACTOR : M
1ST DISTANCE: A1
2ND DISTANCE: A2
3RD DISTANCE: A3
303
2-SLICE LEVEL ?
M≦4
YES
NO
304
4-SLICE LEVELS?
M=8 OR 16
NO
YES
310
SLICE LEVEL ≦ 8
m ≦ 64?
NO
YES
311
EQUAL DISTANCE SIGNAL POINT CON-STELLATION?
YES
NO
312
CALCULATION OF d64
313
IS d64 WITHIN ALLOWANCE?
NO
YES
305
CALCULATION OF THRESHOLD BETWEEN 4-SLICE LEVELS
(S3 + S4)/2 = TH8 = TH16 = (A1 + A2/2)/(A2)
306
SEND TH16 TO 4-LEVEL SLICER OF 1st , 2nd DISCR/DEMOD. CIRCUITS.
307
4-SLICE LEVEL DEMODULATION (MODIFIED 8-,16- APSK OR 4-VSB)
315
REPRODUCTION OF 1st, 2nd DATA STREAMS
308
IS ERROR RATE LOW?
NO
YES

FIG. 25(a)



FIG. 25(b)




43
46
OUT-PUT
47
MIXER
1
2
3
45
232
1st DATA STREAM REPRODUCER
233
2nd DATA STREAM REPRODUCER
234
3rd DATA STREAM REPRODUCER
231a
135
TIMING EXTRACTOR
136
1st DISCR/ DEMOD. CIRCUIT
231
DEMODULATION CONTROLLER
MEMORY
137
2nd DISCR/ DEMOD. CIRCUIT
2nd RECEIVER
DEMODULATOR
133
1st PHASE DETECTOR
134
2nd PHASE DETECTOR
132
π/2 PHASE SHIFTER
131
CARRIER REPRO-DUCER
44
INPUT
42

FIG. 26


201
181
204
91
213
184
216
202
203
214
215
205
208
209
212
206
182
207
210
183
211
TH164
TH264
TH364
A1
A2
A3
S1
S2
S3
S4
S5
S6
S7
S8
1
8-SLICE LEVELS
B2
B1
B2/6
B2/6

FIG. 27

FIG. 28


313
2-SLICE LEVEL DEMODULATION (4-PSK OR 2-VSB)
301
1ST DATA REPRODUCTION
302
REPRODUCTION OF MODULATED DATA
MOD FACTOR : M-VALUE
1ST DISTANCE: A1
2ND DISTANCE: A2
3RD DISTANCE: A3
303
YES
SLICE LEVEL=2?
M≦4
NO
304
4-SLICE LEVELS?
M=8 OR 16
NO
YES
320
6-SLICE LEVELS?
M=32?
YES
322
DEMODULATION OF 32APSK OR 6-VSB
321
NO
8-SLICE LEVELS?
M=64?
YES
323
NO
APSK IS A MORE THAN SETTING?
YES
305
CALCULATION OF THRESHOLD BETWEEN 4-SLICE LEVELS
TH8 = TH16 = A2 / (A1 + A2)
306
SEND TH16 TO 4-LEVEL SLICER OF 1st, 2nd DISCR/DEMOD. CIRCUITS.
307
4-SLICE LEVEL DEMODULATION OF MODIFIED 8-,16- APSK OR 4-VSB
315
REPRODUCTION OF 1st, 2nd DATA STREAMS
308
IS ERROR RATE LOW?
YES
324
CALCULATION OF THRESHOLD BETWEEN 8-SLICE LEVELS
(S5 + S6)/2 = TH164 = A3 / (A1 + A2)
(S6 + S7)/2 = TH264 = A2 / (A1 + A2)
(S7 + S8)/2 = TH364 = A3 / (A1 + A2 - 2)
325
SEND THRESHOLD VALUES TO 8-LEVEL SLICER OF 1ST, 2ND DISCR/DEMOD. CIRCUITS.
326
8-SLICE LEVEL DEMODULATION OF MODIFIED 64 APSK (OR 8-VSB)
327
REPRODUCTION OF 1st, 2nd, 3rd DATA STREAMS
328
NO
IS ERROR RATE LOW?
NO
YES


401
1st VIDEO ENCODER
405
COMPRESSOR
404
DIVIDER
1
2
3
472
1st OUTPUT
464
2nd OUTPUT
468
3rd OUTPUT
(HHVH1)
(HHVH2)
471
1st COMPRESSOR
473
2nd COMPRESSOR
463
3rd COMPRESSOR
466
4th COMPRESSOR
467
5th COMPRESSOR
465
DIVIDER
HLVL
HLVH
HHVL
HHVH
457
SUB-SAMPLER
458
SUB-SAMPLER
461
SUB-SAMPLER
462
SUB-SAMPLER
455
VERTICAL LPF
456
VERTICAL HPF
459
VERTICAL LPF
460
VERTICAL HPF
453
SUB-SAMPLER
454
SUB-SAMPLER
451
HORIZONTAL LPF
452
HORIZONTAL HPF
403
INPUT

FIG. 30


500
507
508
509
421
505
OUTPUT
504
ASPECT RATIO CHANGE CIRCUIT
503
HLVL
EX-PANDER
502
DESCRAMBLER
501
INPUT
1
D1
1ST VIDEO DECODER

FIG. 31


422
2nd VIDEO DECODER
527
547
546
OUT-PUT
HD
543
542
HORIZ. LPF
545
HORIZ. HPF
541
OVER-SAMPLER
544
OVER-SAMPLER
525
526
HLVL
HLVH
HHVL
HHVH1
524
VERT. LPF
538
VERT. HPF
539
VERT. LPF
540
VERT. HPF
523
OVER-SAMPLER
535
OVER-SAMPLER
536
OVER-SAMPLER
537
OVER-SAMPLER
522
1ST EX-PANDER
532
2ND EX-PANDER
533
3RD EX-PANDER
534
4TH EX-PANDER
531
DI-VIDER
521
1ST INPUT
530
2ND INPUT
1
2
D1
D2

FIG. 32


555
423
554
OUT-PUT
553
MIXER
HD
HHVH2
527
556
542
HORIZ. LPF
545
HORIZ. HPF
541
OVER-SAMPLER
544
OVER-SAMPLER
552
HLVL
HLVH
HHVL
HHVH1
524
VERT. LPF
538
VERT. HPF
539
VERT. LPF
VERT. HPF
523
OVER-SAMPLER
535
OVER-SAMPLER
536
OVER-SAMPLER
537
OVER-SAMPLER
522
1ST EX-PANDER
532
2ND EX-PANDER
533
3RD EX-PANDER
534
4TH EX-PANDER
SUPER-HIGH BAND VIDEO DECODER
531
DI-VIDER
521
1ST INPUT
530
2ND INPUT
551
3RD INPUT
3rd VIDEO DECODER
1
2
3
D1
D2
D3

FIG. 33


t
t
t
T
1
2
3
4
5
6
L1
L2
L3
L4
L5
L6
M1
M2
M3
M4
M5
M6
H1
H2
H3
H4
H5
H6
601
602
603
D1
D2
D3

FIG. 34


t
t
t
T
1
2
3
4
5
6
S11
S12
S13
S14
S15
S16
601
L1
L2
L3
L4
L5
L6
D1
S21
S23
S25
602
611
M1
M3
M5
D2
S31
S33
603
612
613
H1
H3
D3

FIG. 35


t
t
t
T
L6
L5
L4
L3
L2
L1
M5
M5
M3
M3
M1
M1
H1
S16
S25
S15
S14
S23
S13
S12
S21
S11
S31
D1
D2
D3

FIG. 36


426
425
427
428
421
1st VIDEO DECODER
422
2nd VIDEO DECODER
423
3rd VIDEO DECODER
23
1st RECEIVER
1st DATA REPRODUCER
232
33
2nd RECEIVER
1st DATA REPRODUCER
2nd DATA REPRODUCER
233
43
3rd RECEIVER
1st DATA REPRODUCER
2nd DATA REPRODUCER
3rd DATA REPRODUCER
234
22a
32a
42a
57
21
31
41
6a
7
1
TRANSMITTER
TRANSMIT
MOD
5
4
MULTIPLEXER
412
1st MUX
2nd MUX
3rd MUX
413
414
415
DIGITAL TRANSMITTER
TRANS-MIT
MOD
INPUT
51
55
54
52
401
1ST VIDEO ENCODER
2ND VIDEO ENCODER
3RD VIDEO ENCODER
4TH VIDEO ENCODER
COMPRESSOR
DIVIDER
INPUT
403
404
402
409
406
410
407
411
408

FIG. 37



FIG. 38



FIG. 39



FIG. 40


452
452a
452b
452c
451
452d
495
491
Dn
492
493
497
498
499
496
S1
S2
IT
ID
S
D1
D2
D3
D4
501
502
FRAME
G
t

FIG. 41


452i
452h
452g
452l
452e
452d
452
452a
452b
495
491b
522b
Dn+2
G
S
521b
491a
522a
Dn+1
521a
491
522
Dn
521
IT
S1 S2 S2
S ID D1 D2 D3
Dn
FRAME
Dn+1
ID
IT 502
S1 S2 S3
G S D1 D2 D3 D4
Dn

FIG. 42


544
CARRIER REPRO-DUCTION CONTROLLER
543
EXTRACTING TIMING CONTROLLER
542
OUTPUT
546
LOOP FILTER
545
MULTIPLIER
547
VCO
541
SYNCH DETECTOR
24
INPUT

FIG. 43



FIG. 44


593
PHASE COMPARATOR
544
CARRIER REPRO-DUCTION CONTROLLER
592
4-PHASE MODULATOR
546
LOOP FILTER
594
2nd DELAY CIRCUIT
542
OUTPUT
543
EXTRACTING TIMER CONTROLLER
591
1st DELAY CIRCUIT
547
541
SYNCH DETECTOR
24
INPUT

FIG. 45


471
471a
471b
471c
471d
471e
471f
471g
471h
471i
471j
471k
I
Q
π/8
π/8
π/8
π/8

FIG. 46



FIG. 47

FIG. 49


T
1
2
3
4
5
6
S11
601
S12
S13
S14
S15
S16
Dv1
L1
L2
L3
L4
L5
L6
t
DH1
M1
M3
M5
S21
602
611
S23
S25
Dv2
M2
M4
M6
t
DH2
H1
H4
S31
603
612
613
S33
Dv3
H2
H5
t
DH3
H3
H6

FIG. 50


T
t
750
750a
750b
750c
750d
750e
1
2
3
4
5
6
720
741
731
721
741a
731a
721a
741b
731b
721b
741c
721c
741d
721d
741e
721e
S
L1
L2
L3
L4
L5
L6
M1
M2
M3
M4
M5
M6
H1-1
H1-2
H1-3
H1-4
H2-1
H2-2
H2-3
H2-4
H3-1
H3-2
H3-3
H3-4
H4-1
H4-2
H4-3
H4-4
H5-1
H5-2
H5-3
H5-4
H6-1
H6-2
H6-3
H6-4
Dv1
DH1
Dv2
DH2
Dv3
DH3


T
S
1
2
3
4
5
6
601
L1
L2
L3
L4
L5
L6
M1-1
M2-1
M3-1
M4-1
M5-1
M6-1
M1-2
M2-2
M3-2
M4-2
M5-2
M6-2
M1-3
M2-3
M3-3
M4-3
M5-3
M6-3
H1-1
H2-1
H3-1
H4-1
H5-1
H6-1
H1-2
H2-2
H3-2
H4-2
H5-2
H6-2
t
Dv1
DH1
Dv2
DH2
Dv3
DH3

FIG. 51



FIG. 52



FIG. 53



FIG. 54



FIG. 55



FIG. 56

FIG. 57



FIG. 58



FIG. 59(a)



FIG. 59(b)



FIG. 59(c)



FIG. 59(d)





FIG. 60


VSB SIGNAL 4VSB 8VSB
741
748
OUTPUT
749
747
VSB FILTER
TRANSMITTER
VSB ASK MODULATOR
746
MULTIPLIER
64
CARRIER GENERATOR
745
PROCESSOR
743
744
742
INPUT
1st DATA STREAM
2nd DATA STREAM

FIG. 61

FIG. 62(a)



FIG. 62(b)




751
RECEIVER
758
1st DATA STREAM OUTPUT
759
2nd DATA STREAM OUTPUT
760
DETECTOR/VSB DEMODULATOR
757
DISCR/ DEMOD 4 LEVEL SLICER 8 LEVEL SLICER
756
LPF
755
DETECTOR
753
MIXER
754
VARIABLE OSCILLATOR
752
INPUT
761
CHANNEL SELECTOR
32a

FIG. 63


774
VIDEO SIGNAL TRANSMITTER
401
1ST VIDEO ENCODER
403
INPUT
404
DIVIDER
HLVL
HLVH
HHVL
HHVH
405
COMPRESSOR
771
MIXER
772
MIXER
773
MIXER
741
TRANSMITTER
743
1st DATA STREAM
744
2nd DATA STREAM
749
MODU-LATOR
OUT-PUT

FIG. 64


425
HDTV
426
HDTV
421
780
OUTPUT
779
ASPECT RATIO CHANGE CIRCUIT
HLVL
523
1ST EXPANDER
1st VIDEO DECODER
502b
502c
502
DESCRAMBLER
DESCRAMBLE NUMBER CHECKER
DESCRAMBLE NUMBER MEMORY
501
INPUT
HIGH PRIORITY DATA DESCRAMBLE INFORMATION
751
768
1st DATA STREAM
760
DETECTOR VSB DEMODULATOR
RECEIVER
752
INPUT
32a
TV RECEIVER

FIG. 66



FIG. 68(a)



FIG. 68(c)



FIG. 68(b)


1st VIDEO ENCODER
401
INPUT
403
DIVIDER
404
HHVH
VHVL
HLVH
HLVL
794
DIVIDER
404a
HHVH-H
VHVL-H
HLVH-H
HLVL-H
COMPRESSOR
405
7th COMPRESSOR
6th COMPRESSOR
5th COMPRESSOR
4th COMPRESSOR
3rd COMPRESSOR
2nd COMPRESSOR
1st COMPRESSOR
471g
471f
471e
471d
471c
471b
471a
3rd OUTPUT
2nd OUTPUT
1st OUTPUT
468
464
472
D3
D2
D1

FIG. 69


794
DIVIDER
HHVH-H
HHVL-H
HLVH-H
HHVH
HHVL
HLVH
HLVL
SWITCH 1
SWITCH 2
765
765a
765b
765c
404
DIVIDER
HHVH
HHVL
HLVH
HLVL
795
TIMEBASE COMPRESSOR
MEMORY
1
2

FIG. 70

FIG. 71


423
3rd VIDEO DECODER
554
OUT-PUT
556
MIXER
556a
MIXER
HHVH-H
HHVL-H
HLVH-H
HHVH
HHVL
HLVH
HLVL
7th EXPANDER
6th EXPANDER
5th EXPANDER
4th EXPANDER
3rd EXPANDER
2nd EXPANDER
1st EXPANDER
(HHVH-H)
(VHVL-H)
(HLVH-H)
(HHVH)
(HHVL)
(HLVH)
(HLVL)
551
530
521
3rd INPUT
2nd INPUT
1st INPUT
D3
D2
D3


423
3rd VIDEO DECODER
554
OUT-PUT
765d
SWITCH
556
MIXER
HHVH
HHVL
HLVH
HLVL
765
765a
765b
765c
SWITCH
522f HHVH-H
522e HHVL-H
522d HLVH-H
522c HHVH
522b HHVL
522a HLVH
522 HLVL
7th EXPANDER
6th EXPANDER
5th EXPANDER
4th EXPANDER
3rd EXPANDER
2nd EXPANDER
1st EXPANDER
(HHVH-H)
(VHVL-H)
(HLVH-H)
(HHVH)
(HHVL)
(HLVH)
(HLVL)
551
530
521
3rd INPUT
2nd INPUT
1st INPUT
D3
D2
D3

FIG. 72


t
t14
t13
t12
t11
t10
t9
t8
t7
t6
t5
t4
t3
t2
t1
t0
TIMING 2
TIMING 1
HHVH-H
HHVL-H
HLVH-H
HHVH
HHVL
HLVH
HLVL
D2
D1

FIG. 73

DOCKET 5,600,672



FIG. 74(a)



FIG. 74(b)


t
D2
D1
HLVL(1)
HLVL(2)
HLVH(1)
HLVH(2)
HHVL(1)
HHVL(2)
HHVH(1)
HHVH(2)
821
822
821a
821b
821c
822a
822b
822c

FIG. 75


t
D1
ECC
HLVL(1)
HLVL(2)
HLVH(1)
HLVH(2)
HHVL(1)
HHVL(2)
HHVH(1)
HHVH(2)
D1 - 1
D1 - 2
821
822
821a
822a
821b
822b
821c
822c

FIG. 76


823
823a
823b
HLVH-H (1)
HLVH-H (2)
HLVL-H (1)
HLVL-H (2)
HHVH-H (1)
HHVH-H (2)
821
821a
821b
821c
822
822a
822b
822c
824a
824b
HLVH (1)
HLVL (1)
HLVL (2)
HHVH (1)
HLVH (2)
HHVL (2)
HHVH (2)
D1
D2
t0
t2
t4
t6
t8
t10
t12
t14
t16
t18
t20
t22
t24
t26
t28
t30
t32
t34

FIG. 77


3rd VIDEO ENCODER
521
OUT-PUT
765a
SWITCH
556
MIXER
HHVH
HHVL
HLVH
HLVL
765
SWITCH
812a
SWITCH
503
EXPANDER
812
SWITCH
521
INPUT
530
INPUT
D2
D1
HHVH-H
HHVL-H
HLVH-H
HHVH
HHVL
HLVH
HLVL

FIG. 78


t
t
t
t
t1
t2
t3
t4
t5
t6
t7
t8
t9
t10
t11
t12
t13
t14
t15
t16
t17
D3
D2
D1
823
HLVH-H (1)
823a
HHVL-H (1)
823b
HHVH-H (1)
821
HLVL(1)
821a
HLVH(1)
821b
HHVL(1)
821c
HHVH(1)

FIG. 79


423
3rd VIDEO ENCODER
554
OUT-PUT
765a
SWITCH
2
1
556
MIXER
HHVH
HHVL
HLVH
HLVL
765
SWITCH
1
2
812a
SWITCH
503
EXPANDER
812
SWITCH
521
INPUT
530
INPUT
D2
D1

FIG. 80


D1
821
HiVL (1)
HiVL (2)
822
821a
HLVH (1)
HLVH (2)
822a
821b
HHVL (1)
HHVL (2)
822b
821c
HHVH (1)
HHVH (2)
822c
823
HLVH-H (1)
HLVH-H (2)
824
823a
HHVL-H (1)
HHVL-H (2)
824a
823b
HHVH-H (1)
HHVH-H (2)
824b
t0
t2
t4
t6
t8
t10
t12
t14
t16
t18
t20
t22
t

FIG. 81


423
VIDEO ENCODER
554
OUT-PUT
765a
SWITCH
2
1
556
MIXER
HHVH
HHVL
HLVH
HLVL
765
SWITCH
1
2
812a
SWITCH
503
EXPANDER
530
INPUT
D1

FIG. 82

FIG. 83


t
00
00
01
10
11
01
10
00
00
00
t1
t2
t3
t4
t5
t6
t7
t8
t9
D2 = 1
D2 = 0
D2 = 1
D2 = 0
D1 = 1
D1 = 0
842
841
f4
f3
f2
f1
D2
D1
1 1 0 1 0 0
1 1 0 0
D1
0 0 0 0 1 1 1 1 0 0 0 0
D2
0 0 0 1 0 1 0 1 0 0 0 0


(TRANSMITTER) 1
TRANS-MITTING CIRCUIT 5
UP CONVERTER 5a
32a
TRANS-MITTED SIGNAL
RF
32b
RECEIVED SIGNAL
(RECEIVER) 43
RECEIVING CIRCUIT 24
DOWN CONVERTER 24a
854b
855
854a
(RECORDER) 1
RECORD-ING CIRCUIT 853
857a
(PLAYER) 43
REPRO-DUCING CIRCUIT 858
857b
RECORDER / TRANSMITTER 1
MODULATOR 852a
OFFSET GENERATOR 749
MODULA-TOR ASK (VSB)
856
PLAYER / RECEIVER 43
DEMODULATOR 852b
760
DEMODULA-TOR ASK (VSB)
FILTER 858a
CARRIER REPRO-DUCING CIRCUIT
INPUT SECTION 742
1st DATA STREAM INPUT 743a
ECC ENCODER
743
743c LP
2nd DATA STREAM INPUT 744a
ECC
TRELLIS ENCODER
744
744b HP
OUTPUT SECTION 757
1st DATA STREAM OUTPUT 758a
ECC DECODER
758
LP
2nd DATA STREAM OUTPUT 759a
ECC
TRELLIS DECODER
759
759b HP
858b
VIDEO ENCODER 401
1st VIDEO ENCODER 401a
2nd VIDEO ENCODER 401b
VIDEO DECODER 402
1st VIDEO DECODER 402a
2nd VIDEO DECODER 402b
HDTV SIGNAL
HDTV (SDTV)

FIG. 84



FIG. 85

FIG. 86


CN
C/N RATE
a
b
c
d
e
865
864
863
862
861
D2-2
D2-1
D1-2
D1-1
0
La
Lb
Lc
Ld
Le
L
TRANSMISSION DISTANCE


TRANSMITTER
1
INPUT
2
DIVIDER
3
MODULATOR
4
TRANSMITTER
5
OUT
2nd ECC ENCODER
871b
SUB ECC ENCODER
873b
MAIN ECC ENCODER
872b
1st ECC ENCODER
871a
SUB ECC ENCODER
873a
MAIN ECC ENCODER
872a
MIXER
874b
MIXER
874a
D2
D1
D2-2
D2-1
D1-2
D1-1
2-2
2-1
1-2
1-1

FIG. 87


33
2nd RECEIVER
35
VSB - ASK DEMODULATOR
D2
D1
2
1
3b
DIVIDER
3a
DIVIDER
(D2-2)
(D2-1)
(D1-2)
(D1-1)
876b
2nd ECC DECODER
876a
1st ECC DECODER
878b
SUB ECC DECODER LOW CODE GAIN
877b
MAIN ECC DECODER HIGH CODE GAIN
878a
SUB ECC DECODER LOW CODE GAIN
877a
MAIN ECC DECODER HIGH CODE GAIN
D2-2
D2-1
D1-2
D1-1
37
MIXER
OUT
2-2
2-1
1-2
1-1
36
OUTPUT

FIG. 88

FIG. 89


C/N
D2
D2-2
D2-1
885a
885b
884
883
D1
D1-2
D1-1
885c
885d
881
882
a
b
b'
c
d
e
E1
Eth
E2
ERROR RATE AFTER ERROR CORRECTION



FIG. 90



FIG. 91

FIG. 92


890d
890c
890b
890a
701
L
CN
862a
D2-2
a
862b
D2-1
b
862c
D1-2
c
862d
D1-1
d
861
L
0
La
Lb
Lc
Ld


33
MIXER
VIDEO SIGNAL MIXER
548c
VIDEO MIXER
HHVH
HLVH
HHVL
HLVL
out
531c
DIVIDER
1
2
3
in
HHVH-H
548b
548a
531b
531a
HH
HL
LH
LL
523d
523c
523b
523a
EXPANDER
2-2
2-1
1-2
1-1
D2-2
D2-1
D1-2
D1-1

FIG. 94

FIG. 95


890d
890c
890b
890a
701
L
CN
862a
HH
a
862b
HL
b
862c
LH
c
862d
LL
d
861
L
0
La
Lb
Lc
Ld



FIG. 96



FIG. 97

FIG. 98


890d
890c
890b
890a
701
L
CN
862a
PROGRAM A'
a
862b
PROGRAM B
b
862c
PROGRAM C
c
862d
PROGRAM D
d
861
L
0
La
Lb
Lc
Ld

FIG. 99



FIG. 100


Q
I
90
84a
84
101a
101
85
97
98
99
97a
98a
99a
100
83
86
83a
100a
86a
2δ
2δ
nδ
δ
δ
2δ
2δ
nδ
(5 - n)δ
4

FIG. 101


Pe
0.00
-0.50
-1.00
-1.50
-2.00
-2.50
-3.00
-3.50
-4.00
-4.50
-5.00
-5.50
-6.00
905
901c
901b
901a
900
902c
902b
902a
0.00
10.00
20.00
30.00
40.00
50.00
C/N(d)

FIG. 102


Pe
0.00
-0.50
-1.00
-1.50
-2.00
-2.50
-3.00
-3.50
-4.00
-4.50
-5.00
-5.50
-6.00
0.00
10.00
20.00
30.00
40.00
50.00
C/N
901c
901b
901a
900
902a
902b
902c

FIG. 103


C/N(dB)
50.00
45.00
40.00
35.00
30.00
25.00
20.00
15.00
10.00
5.00
0.00
-5.00
0.50
1.00
1.50
2.00
2.50
3.00
n
10-3
10-2
D2
10-1.5
10-3
10-2
D1
10-1.5

FIG. 104


C/N(dB)
50.00
45.00
40.00
35.00
30.00
25.00
20.00
15.00
10.00
5.00
0.00
-5.00
0.50
1.00
1.50
n
10-3
10-2 D2
10-1.5
10-3
10-2 D1
10-1.5


S(dB)
60
50
40
30
20
10
0
-10
L(mile)
0
10
20
30
40
50
60
70
80
90
100
110
120
130
140
150
911
910b
910
910a
912
912

FIG. 105

FIG. 106


SRQAM(S = 2.5)
2.5dB C/N 36-SRQAM(D1-1) 70.4miles (HYBRID SRQAM)
7.5dB C/N 36-SRQAM(D1-2) 62.8miles
22.5dB C/N 36-SRQAM(D2) 44.8miles
STANDARD QAM
12.5dB C/N 16-QAM 56.8miles
16.5dB C/N 36-QAM 52miles
703c
703a
703b
708
712
DIGITAL TV
1200' HAAT
22.5dBk
701
56.8miles 16-QAM
52miles 36-QAM
44.8miles
62.8miles
70miles
D2
D1-2
D1-1
50miles'
45miles'
36-SRQAM 39miles''
36-SRQAM 54miles''
36-SRQAM 56miles''
NTSC
1200' HAAT
37dBk
711
grade B
30dB RECEIVER C/I
INTERFERENCE CONTOUR
56miles
41.5miles'
115miles
L
(miles)
DISTANCE FROM TRANSMITTING ANTENNA [miles]

FIG. 107


SRQAM(S1 = 1.8)
5dB C/N 36-SRQAM(D1-1) 65.8miles (HYBRID SRQAM)
10dB C/N 36-SRQAM(D1-2) 59.8miles
20dB C/N 36-SRQAM(D2) 47.8miles
STANDARD QAM
12.5dB C/N 16-QAM 56.8miles
16.5dB C/N 36-QAM 52miles
703c
703a
703b
708
712
DIGITAL TV
1200' HAAT
22.5dBk
701
56.8miles 16-QAM
52miles 36-QAM
47.8miles
59.8miles
65.8miles
50miles'
45miles'
D2
D1-2
D1-1
36-SRQAM 42miles''
36-SRQAM 53miles''
36-SRQAM 56miles''
NTSC
1200' HAAT
37dBk
711
grade B
30dB RECEIVER C/I
INTERFERENCE CONTOUR
115miles
56miles
41.5miles'
** APPROXIMATELY CALCULATED
DISTANCE FROM TRANSMITTING ANTENNA [miles]
L (miles)
0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170

FIG. 108(a)



FIG. 108(b)



FIG. 108(c)



FIG. 108(d)



FIG. 108(e)



FIG. 109


t
t
t'
t'
731a
734a
736a
738a
732a
733a
735a
737a
731
734
736
738
732
733
735
737


SIGNAL POINT
CODE WORD
"11111111"
741
742d
11
01
00
10
I
Q
SUB-
CHANNEL-4
SUB-
CHANNEL-3
SUB-
CHANNEL-2
SUB-
CHANNEL-1
741d
741c
741b
741a
8bit
2bit
2bit
2bit
2bit
11
740d
742c
740c
742b
740b
742a
740a
4TH LEVEL
256 SEGMENTS
3RD LEVEL
64 SEGMENTS
2ND LEVEL
16 SEGMENTS
1ST LEVEL
4 SEGMENTS

FIG. 110

FIG. 111


SUBCHANNEL-1 (SRQAM:D1 = 2bit)
Q
740a
742a
10
11
00
01
I
CODE WORD-1
SUBCHANNEL-2 (36-SRQAM:D2 = 3bit + 1/8bit)
Q
740b
010 110 1000
001 101 111
000 100 011
742b
I
CODE WORD-2
741a 11 2bit
741b 111 3+1/8bit
9+1/8bit
SUBCHANNEL-3 (144-SRQAM:D3 = 2bit)
Q
740c
00
10
742c
11
01
I
CODE WORD-3
741c
11 2bit
741d
11 2bit
CODE WORD-4
SUBCHANNEL-4 (576-SRQAM:D4 = 2bit)
Q
740d
11
10
00
01
742d
I
741
SIGNAL POINT
CODE WORD
11 11 11 11


859b
IBIAS
859a
fp
859
859c
859d
fc
6dB
6dB
THRESHOLD 2
THRESHOLD 1-2
THRESHOLD 1-1
0
SIGNAL LEVEL
FREQUENCY (MHz)
λ
λ/2
RECORDING WAVELENGTH (μm)

FIG.113


855
854
851
853
RECORDING PLAYBACK
857a
857b
856
858a
BIAS GENERATOR
858
CARRIER REPRODUCTION
FILTER
858b
fp
1/2
MODULATOR /DEMODULATOR
852
749
MODULATOR
760
DE-MODULATOR
CARRIER fc
D1
D1
MAGNETIC RECORDING / PLAYBACK APPARATUS
INPUT SECTION
743
1ST DATA STREAM INPUT
742
OUTPUT SECTION
758
1ST DATA STREAM OUTPUT
401a
422
422a
VIDEO ENCODER
401
1ST VIDEO ENCODER
VIDEO DECODER
1ST VIDEO DECODER

FIG. 114


762
MICRO-PHONE
763
SPEAKER
405
COMPRESSOR
503
EXPANDER
D3
D2
D1
766
CPU
767
765
TIME DIVISION CIRCUIT
TIMING CIRCUIT
TIMING
4
MODULATOR
45
DE-MODULATOR
764
ANTENNA SHARING UNIT
22

FIG. 115


BASE STATION CONTROLLER
774
769
772
BASE STATION
761d
761e
761f
22
770
773
BASE STATION
761g
761h
761j
22
768
771
BASE STATION
761a
761b
761c
22

FIG. 116


A
A'
768
769
770
774a
774b
774c
774d
774e
775a
775b
775c
d=A
d=B
d=A+B
TF
P
L
6
4
2
0

FIG. 117


A
A'
770a
770
770b
777c
777b
777a
768
769
776a
776b
776c
776d
776e
774a
774b
775a
775b
775c
L
6
4
2
0
d=A
d=B
d=A+B
TF
P

FIG. 118



FIG. 119(a)



FIG. 119(b)



FIG. 120(a)



FIG. 120(b)


762
MICRO-PHONE
763
SPEAKER
761
TRANSMITTER / RECEIVER
405
COMPRESSOR
503
EXPANDER
D1
D1
766
CPU
765
TIME DIVISION CIRCUIT
767
TIMING CIRCUIT
TIMING
D1
D1
4
MODULATOR
45
DE-MODULATOR
764
ANTENNA SHARING UNIT
22

FIG. 121


762
MICRO-PHONE
763
SPEAKER
761
TRANSMITTER / RECEIVER
405
COMPRESSOR
503
EXPANDER
D2
D1
D2
D1
766
CPU
765
TIME DIVISION CIRCUIT
767
TIMING CIRCUIT
TIMING
D2
D1
D2
D1
4
MODULATOR
45
DE-MODULATOR
764
ANTENNA SHARING UNIT
22

FIG. 122


TRANSMITTER
RECEIVER
RF
RECEIVED SIGNAL
SERIAL TO PARALLEL
TRANSMIT CIRCUIT
UP CONVERTER
CONVERTER
IFFT
FFT
OFDM-CCDM-MODULATOR
OFDM-CCDM-DEMODULATOR
C-CDM MODULATOR
C-CDM DEMODULATOR
C-CDM MOD.
C-CDM DEMOD.
SERIAL TO PARALLEL
INPUT SECTION
1st DATA STREAM INPUT
2nd DATA STREAM INPUT
ECC HIGH GAIN
ECC NORMAL GAIN
TDM
TRELLIS ENCODER
ECC
1st DATA STREAM OUTPUT
2nd DATA STREAM OUTPUT
TRELLIS DECODER
VIDEO ENCODER
1st VIDEO ENCODER
1-1 VIDEO ENCODER
1-2 VIDEO ENCODER
2nd VIDEO ENCODER
VIDEO DECODER
1st VIDEO DECODER
1-1 VIDEO DECODER
1-2 VIDEO DECODER
2nd VIDEO DECODER
SUMMER
(HDTV SIGNAL)
(LDTV)
(EDTV)
(HDTV)

FIG. 123


795
SUBCHANNEL 1
1/ts
2
3
4
5
794a
794b
794e
793
f
f1 f2 f3 f4 f5
ts
tg
796a
797a
796b
797b
TRANSMITTED SIGNAL
RECEIVED SIGNAL
794c
794d
793a
797d
796e
798
799
t

FIG. 124



FIG. 125(a)



FIG. 125(b)



FIG. 126(a)



FIG. 126(b)



FIG. 126(c)



FIG. 126(d)


TRANSMITTER
RECEIVER
RF
RECEIVED SIGNAL
UP CONVERTER
INPUT CIRCUIT
DOWN CONVERTER
SUMMER
DIVIDER
MODULATOR
C-CDM MODULATOR
C-CDM MOD.
DEMODULATOR
C-CDM DEMODULATOR
C-CDM DEMOD.
SERIAL TO PARALLEL CONVERTER
PARALLEL TO SERIAL CONVERTER
INPUT SECTION
1st DATA STREAM INPUT
2nd DATA STREAM INPUT
OUTPUT SECTION
1st DATA STREAM OUTPUT
2nd DATA STREAM OUTPUT
TDM
ECC HIGH GAIN
ECC NORMAL GAIN
TRELLIS ENCODER
TRELLIS DECODER
ECC
VIDEO ENCODER
1st VIDEO ENCODER
1-1 VIDEO ENCODER
1-2 VIDEO ENCODER
2nd VIDEO ENCODER
VIDEO DECODER
1st VIDEO DECODER
1-1 VIDEO DECODER
1-2 VIDEO DECODER
2nd VIDEO DECODER
(HDTV SIGNAL)
(LDTV)
(EDTV)
(HDTV)

FIG. 127

FIG. 128(a)



FIG. 128(b)



FIG. 128(c)



FIG. 128(d)



FIG. 128(e)



FIG. 128(f)



5600672 - 02/04/97


796b
EFFECTIVE SYMBOL PERIOD
797a
GUARD INTERVAL
796a
EFFECTIVE SYMBOL PERIOD
GUARD INTERVAL
ts
tg
ts
tg
t
TIME
MAGNITUDE

FIG. 129

FIG. 130


GHOST=8dB
806
TCM-16QAM
TCM-16QAM-OFDM
807b
805
807a
C-CDM(SUBCHANNEL-1)
C-CDM(SUBCHANNEL-1)
10^{-1}
10^{-2}
10^{-3}
10^{-4}
10^{-5}
10^{-6}
10
15
20
C/N (dB)


855
TRACE OF MAGNETIC HEAD-A
855f
855d TRACK n
855a
855b
TRACE
A B
855c
855d
855g
855e
LDTV(1 FRAME)
855h
855j
Ts1
Ts2
SUBCHANNEL 1-1 D1-1 (TDM)
SUBCHANNEL 1-2 D1-2 (TDM)
SUBCHANNEL 2 D2
LDTV
EDTV
HDTV

FIG. 132


TRANSMITTED SIGNAL
RF
RECEIVED SIGNAL
TRANSMITTER
RECEIVER
MODULATOR
DEMODULATOR
C-CDM MODULATOR
C-CDM DEMODULATOR
TRANSMITTING CIRCUIT
UP CONVERTER
INPUT CIRCUIT
DOWN CONVERTER
INPUT SECTION
OUTPUT SECTION
1st DATA STREAM INPUT
2nd DATA STREAM INPUT
1st DATA STREAM OUTPUT
2nd DATA STREAM OUTPUT
ECC HIGH GAIN
ECC NORMAL GAIN
TDM
TRELLIS ENCODER
TRELLIS DECODER
ECC
VIDEO ENCODER
1st VIDEO ENCODER
1-1 VIDEO ENCODER
1-2 VIDEO ENCODER
2nd VIDEO ENCODER
VIDEO DECODER
1st VIDEO DECODER
1-1 VIDEO DECODER
1-2 VIDEO DECODER
2nd VIDEO DECODER
(HDTV SIGNAL)
(LDTV)
(EDTV)
(HDTV)

FIG. 133

FIG. 134


NTSC CARRIER
722
725
COLOR CARRIER
723
0.92MHz
SOUND CARRIER
724
4.75MHz
4.5MHz
3.58MHz
ANALOG TV SIGNAL REJECTION FILTER (COMB FILTER)
0.895
MHz
SUBCHANNEL A
SUBCHANNEL B
720a
726
721
727
721a
0
-1.25
0.625
2.25
4.5
4.75
6MHz
C/N
4-5dB
THRESHOLD 2
THRESHOLD 1
f


HDTV: 15.20Mbps
EDTV: 8Mbps
SDTV: 4Mbps
LDTV: 1.15Mbps
RECEIVER-3
RECEIVER-2
RECEIVER-1
36-SRQAM (S=1.8)
32-QAM
(16QAM)
(S=2.5)
-15.4%
+32.2%
+60.1%
(S=2.5)
(+10.8%)
(+34.2%)
HYBRID 36-SRQAM
REDUNDANCY
FOR FEC
SUBCHANNEL-2
SUBCHANNEL-1-2
SUBCHANNEL-1-1
(-29.0%)
EXTENDED
HDTV
EDTV(OR SDTV X 2)
SDTV
LDTV
100Mbps
50
30
20
10Mbps
5
3
2
1Mbps
0.5
TRANSFER RATE
(Mbps)
0
1000
2000
3000
4000
5000
COVERAGE AREA (SQUARE MILES)

FIG. 135

FIG. 136


NTSC CARRIER
722
SOUND CARRIER
724
COLOR
723
725
MAGNITUDE
f
4.75
4.5
3.58
0
-1.25
859
859a
fp
fc=1.75
6MHz
5.5MHz
-1.0
C/N
SUBCHANNEL 2
SUBCHANNEL 1-2
SUBCHANNEL 1-1
1.75
THRESHOLD 2
THRESHOLD 1-2
THRESHOLD 1-1


TRANSMITTED SIGNAL
RF
RECEIVED SIGNAL
TRANSMITTER
RECEIVER
TRANSMITTING CIRCUIT
UP CONVERTER
MODULATOR
C-CDM MODULATOR
INPUT SECTION
1st DATA STREAM INPUT
TRELLIS ENC. HIGH GAIN
TRELLIS ENC. NORMAL GAIN
TDM
2nd DATA STREAM INPUT
TRELLIS ENCODER
ECC
VIDEO ENCODER
1st VIDEO ENCODER
1-1 VIDEO ENCODER
1-2 VIDEO ENCODER
2nd VIDEO ENCODER
(HDTV SIGNAL)
INPUT CIRCUIT
DOWN CONVERTER
DEMODULATOR
C-CDM DEMODULATOR
OUTPUT SECTION
1st DATA STREAM OUTPUT
TRELLIS DEC. HIGH GAIN
TRELLIS DEC. NORMAL GAIN
2nd DATA STREAM OUTPUT
TRELLIS DECODER
ECC
VIDEO DECODER
1st VIDEO DECODER
1-1 VIDEO DECODER
1-2 VIDEO DECODER
2nd VIDEO DECODER
(LDTV)
(EDTV)
(HDTV)

FIG. 137

FIG. 139


Q
I
FIRST SHIFT FACTOR: S1
85a
85
((S1+1)r0, θ0)
83
S1r0
83a
(r0, θ0)
r0
θ=45°
δ
S1δ
A
A2
83b
83c
85b
85c
8-PS-APSK

FIG. 140


Q
I
SECOND SHIFT FACTOR: S2
S2r0
85s
((S1+S2+1)r0, θ0)
85
83S
S2r0
((S2+1)r0, θ0)
83
r0
θ=45°
δ
s1δ
16-SP-APSK

FIG. 141


Q
I
83P
83
83Q
FIRST PHASE SHIFT FACTOR: P1
+P1θ0
-P1θ0
θ0(=90°)
8-PS-PSK

FIG. 142


Q
I
FIRST SHIFT FACTOR: S1
FIRST PHASE SHIFT FACTOR: P1
85P
85
83P
S1r0
83
+P1θ0
85Q
-P1θ0
S1r0
83Q
θ0(=90°)
16-PS-APSK


89a
89b
89c
89d
C-CDM (S=1.5)
STANDARD QAM (16QAM)
EXTENDED (120Mbps)
80Mbps
40Mbps
TRANSFER RATE [Mbps]
RADIUS OF ANTENNA (cm)
120
110
100
90
80
70
60
50
40
30
20
10
0
0
10
20
30
40
45
50
60
70
80
90
100

FIG. 143

FIG. 145(a)



FIG. 145(b)




793a
793b
793c
793d
794
794a
794b
794c
794d
794e
minimum Δfb = 1/tsb
minimum Δfa = 1/tsa
subchannel
Δfb
Δfa
f1 f2 f3 f4 f5
LAYER B
LAYER A
minimum Δfa < minimum Δfb
TRANSMITTED SIGNAL
RECEIVED SIGNAL
796b
797b
796a
797a
tga
tgb
tsb
tsa
t
f

FIG. 146

FIG. 147


CHANNEL
801b
layer - 2
801a
LAYER - 1
POWER
SUBCHANNEL K
SUBCHANNEL n
SUBCHANNEL=n
SUBCHANNEL 1
SUBCHANNEL K

FIG. 148


Tga == 50μs
Tgb = 5μs
Tgc = 1μs
100
50
30
10
5
1
TM: DELAY TIME OF MULTIPATH (μs)
50
30
D/U RATIO OF RECEIVED SIGNAL(dB)



FIG. 149(a)



FIG. 149(b)



FIG. 149(c)

FIG. 150


801a
801b
801c
LDTV
SDTV
HDTV
Tga == 50us
Tgb = 5us
Tgc = 1us
TRANSFER RATE (Mbps)
20
10
1
0
1
5
10
50
100
TM: DELAY TIME OF MULTIPATH (us)

FIG. 151


C/N RATIO OF RECEIVED SIGNAL (dB)
20
10
5
TM: DELAY TIME OF MULTIPATH(μs)
0
1
5
10
50
100
801c
851b
851a
851az
801b
801a
Tgc = 1μs
Tgb = 5μs
Tga == 50μs
HDTV
SDTV
LDTV


T
t
801a
801b
801c
A
B
C
LAYER A
LAYER B
LAYER C
796c1
796b1
796a1
796c2
796c3
796b2
796b3
796a2
796a3
797a
797b
797c
GUARD TIME
HDTV(HP)
SDTV(HP)
LDTV
SDTV(LP)
LAYER-3
LAYER-2
LAYER-1
Tga
Tsa
Tgb
Tsb
Tgc
GUARDTIME
SYMBOL

FIG. 152


TRANSFER RATE (Mbps)
25
10
LAYER3-C
801c
HDTV
HDTV
LAYER2-B
801b
(D/U = 30dB)
DELAY TIME OF MULTIPATH SIGNAL (μs)
1μS
SDTV
SDTV
LAYER1-A
801a
5μS
10
LDTV
LDTV
50μS
100μS
TM(μs)
20dB
10dB
5dB
CNR(dB)

FIG. 153



FIG. 154(a)

FIG. 154(b)

FIG. 154(c)


t
T
801a
801b
801c
A
B
C
A
B
C
LAYER A
LAYER B
LAYER C
796a3
796a2
796a1
796b3
796b2
796b1
796c3
796c2
796c1
HDTV(HP)
SDTV(HP)
LDTV
HDTV(HP)
SDTV(LP)
SDTV(LP)
HDTV(HP)
SDTV(LP)
SDTV(LP)
797a
GUARD TIME
797b
GUARD TIME
797c
Tga
GUARDTIME
Tsa
SYMBOL
Tgb
GUARDTIME
Tsb
SYMBOL
Tgc
LAYER-3
LAYER-2
LAYER-1

FIG. 155


TRANSMITTED SIGNAL
RF
RECEIVED SIGNAL
1
43
TRANSMITTER
RECEIVER
5
TRANSMITTING CIRCUIT
5a
UP CONVERTER
24
INPUT CIRCUIT
24a
DOWN CONVERTER
852a
MODULATOR
749
modulator
VSB QAM PSK
852b
DEMODULATOR
760
demodulator
VSB QAM PSK
742
INPUT SECTION
743
1ST DATA STREAM INPUT
743a
ECC
743c
D1
744
2ND DATA STREAM INPUT
744a
ECC
744b
D2
TRELLIS ENCODER
757
OUTPUT SECTION
758
1ST DATA STREAM OUTPUT
758a
ECC
759
2ND DATA STREAM OUTPUT
759a
ECC
759b
D2
TRELLIS ENCODER
401
VIDEO ENCODER
401a
1ST VIDEO ENCODER
401b
2ND VIDEO ENCODER
402
VIDEO DECODER
402a
1ST VIDEO DECODER
402b
2ND VIDEO DECODER
(HDTV) SIGNAL
HDTV (SDTV)

FIG. 156


1
TRANSMITTER
VIDEO ENCODER
401
401a
VIDEO ENCODER
INPUT SECTION
742
744
DATA STREAM INPUT
744a
ECC
744b
TRELLIS ENCODER
MODULATOR
852a
749
C-QDM MODULATOR
VSB
5
TRANSMITTING CIRCUIT
5a
UP CONVERTER
TRANSMITTED SIGNAL
(HDTV) SIGNAL
RF
43
RECEIVER
VIDEO DECODER
402
402a
VIDEO DECODER
OUTPUT SECTION
757
759
DATA STREAM OUTPUT
759a
ECC
759b
TRELLIS DECODER
DEMODULATOR
852b
760
C-QDM DEMODULATOR
VSB
D2
24
INPUT CIRCUIT
24a
DOWN CONVERTER
RECEIVED SIGNAL
HDTV (SDTV)

FIG. 157


TRANSMITTED SIGNAL
RF
RECEIVED SIGNAL
1
43
TRANSMITTER
INPUT SECTION
742
VIDEO ENCODER
401
1ST VIDEO ENCODER
401a
1ST DATA STREAM INPUT
743
743a
ECC
D1
MODULATOR
852a
C-QDM MODULATOR
749
QAM ASK PSK
TRANSMITTING CIRCUIT
5
UP CONVERTER
5a
(HDTV) SIGNAL
RECEIVER
OUTPUT SECTION
757
VIDEO DECODER
402
1ST VIDEO DECODER
402a
1ST DATA STREAM OUTPUT
758
758a
ECC
D1
DEMODULATOR
852b
C-QDM DEMODULATOR
760
QAM ASK PSK
INPUT CIRCUIT
24
DOWN CONVERTER
24a
HDTV (SDTV)

FIG. 158



FIG. 159(a)

FIG. 159(b)

FIG. 159(c)

FIG. 159(d)



FIG. 160(a)



FIG. 160(b)


HDTV
780
OUTPUT CIRCUIT
751
402
VIDEO DECODER
VIDEO DECOMPRESSOR
402a
757
DATA STREAM OUTPUT
ECC DECODER
DEINTERLEAVER
759k
REED SOLOMON DECODER
759j
TRELLIS DECODER
759b
760
RECEIVER
VSB DEMODULATOR
757
DISCR /DEMOD 4 LEVEL SLICER (8 LEVEL SLICER)
ERROR DATA DETECTOR
782
SYNC
756
LPF
755
DETECTOR
755b
SYNC DETECTOR
753
753a
MIXER
754
VARIABLE OSCILLATOR
TUNER 752
INPUT
761
CHANNEL SELECTOR
32a

FIG. 161


748
VSB SIGNAL
4VSB
8VSB
16VSB
741
748
OUTPUT
749
747
VSB FILTER
VSB ASK MODULATOR
746
MULTIPLIER
64
CARRIER GENERATOR
745
PROCES-SOR
TRANSMITTER
742
744b
TRELLIS ENCODER
744a
INPUT SECTION
744k
INTER-LEAVER
ECC ENCODER
744j
REED SOLOMON ENCODER
401
VIDEO ENCODER
401a
VIDEO COMPRESSOR
HDTV

FIG. 162

FIG. 163


ERROR PROBABILITY
10-1
10-2
10-3
10-4
10-5
10-6
805
806
TCM-8VSB
4VSB
10 11 12 13 14 15 16 17 18 19 20
C/N(dB)

FIG. 164


ERROR PROBABILITY
10-1
10-2
10-3
10-4
10-5
10-6
TCM-8VSB
4VSB
805
806
805a
805b
SUBCHANNEL-1 OF TCM-8VSB
SUBCHANNEL-2 OF TCM-8VSB
10 11 12 13 14 15 16 17 18 19 20
C/N(dB)



FIG. 165(a)



FIG. 165(b)

FIG. 166


CALCULATION OF ERROR CORRECTION
951a
INPUT PARITY AND DATA
952b
CALCULATE SYNDROME S1 AND S2
952c
S1 = S2 = 0?
952d
YES
NO
CALCULATE ERROR CORRECTION
952e
ERROR CORRECTION ?
952f
NO
YES
DATA OUTPUT
952g


936b
DEINTERLEAVE SECTION
READ ADDRESS ROM
READ ADDRESS COUNTER
ADDER
WRITE ADDRESS COUNTER
936x
DEINTERLEAVE RAM
READ DATA OUTPUT
WRITE DATA INPUT
OUTPUT
INPUT

FIG. 167



FIG. 168(a)



FIG. 168(b)

FIG. 170


TRANSMITTED SIGNAL
RF
RECEIVED SIGNAL
1
TRANSMITTER
742
INPUT SECTION
743
DATA STREAM INPUT
743a
ECC ENCODER HIGH GAIN
743c
TDM
ECC ENCODER LOW GAIN
743b
MODULATOR
852a
749
modulator
4VSB 8VSB 16VSB
TRANSMITTING CIRCUIT
5
5a
UP CONVERTER
401
VIDEO ENCODER
401a
VIDEO ENCODER
401c
1ST VIDEO ENCODER HIGH PRIORITY
LOW PRIORITY
401d
HIGH PRIORITY
LOW PRIORITY
HDTV SIGNAL OR SDTV X n
43
RECEIVER
757
OUTPUT SECTION
758
DATA STREAM INPUT
758a
ECC DECODER HIGH GAIN
758c
TDM
ECC DECODER LOW GAIN
758b
MODULATOR
852b
760
demodulator
4VSB 8VSB 16VSB
INPUT CIRCUIT
24
24a
DOWN CONVERTER
402
VIDEO DECODER
402a
VIDEO DECODER
402c
1ST VIDEO DECODER HIGH PRIORITY (ADDRESS, SYNC)
2ND VIDEO DECODER LOW PRIORITY
402d
HIGH PRIORITY
LOW PRIORITY
HDTV OR LOW GRADE HDTV OR SDTV X n


TRANSMITTING SIGNAL
RF
RECEIVED SIGNAL
1
TRANSMITTER
5
TRANSMITTING CIRCUIT
5a
UP CONVERTER
852a
MODULATOR
749
modulator
8VSB (32QAM)
742
INPUT SECTION
744
DATA STREAM INPUT
744b
TRELLIS ENCODER RATIO 2/3 (RATIO 4/5)
744a
ECC ENCODER
401
VIDEO ENCODER
401a
VIDEO ENCODER
HDTV SIGNAL
43
RECEIVER
24
INPUT CIRCUIT
24a
DOWN CONVERTER
852b
DEMODULATOR
760
demodulator
8VSB (32QAM)
D2
757
OUTPUT SECTION
759
DATA STREAM OUTPUT
759b
TRELLIS DECODER RATIO 2/3 (RATIO 4/5)
759a
ECC DECODER
402
VIDEO DECODER
402a
VIDEO DECODER
HDTV (SDTV)

FIG. 171

FIG. 172


TRANSMITTED SIGNAL
RF
RECEIVED SIGNAL
1
TRANSMITTER
VIDEO ENCODER
401a
VIDEO ENCODER
401c
1ST VIDEO ENCODER HIGH PRIORITY
LOW PRIORITY
401d
401
(HDTV) SIGNAL
HIGH PRIORITY
LOW PRIORITY
INPUT SECTION
742
DATA STREAM INPUT
743
ECC ENCODER HIGH GAIN
743a
ECC ENCODER LOW GAIN
743b
TRELLIS ENCODER RATIO 2/3 (RATIO 4/5)
743c
MODULATOR
852a
modulator
749
4VSB 8VSB 16VSB
TRANSMITTING CIRCUIT
5
UP CONVERTER
5a
43
RECEIVER
VIDEO DECODER
402a
VIDEO DECODER
402c
1ST VIDEO DECODER HIGH PRIORITY (ADDRESS, SYNC)
2ND VIDEO DECODER LOW PRIORITY
402d
402
HDTV OR LOW GRADE HDTV OR SDTV X n
HIGH PRIORITY
LOW PRIORITY
OUTPUT SECTION
757
DATA STREAM OUTPUT
758
ECC DECODER HIGH GAIN
758a
ECC DECODER LOW GAIN
758b
TRELLIS DECODER RATIO 2/3 (RATIO 4/5)
759b
DEMODULATOR
852b
demodulator
760
4VSB 8VSB 16VSB
INPUT CIRCUIT
24
UP CONVERTER
24a


RECORDING AND REPRODUCING SYSTEM
855
854
853
RECORDING REPRO-DUCING CIRCUIT
BIAS GENERATOR
856
857a
857b
858
CARRIER REPRODUCING CIRCUIT
FILTER
858a
858b
1/2
852a
MODULATOR
749
C-CDM MODULATOR 4 - ASK 8 - ASK 16 - ASK
852b
DEMODULATOR
760
C-CDM DEMODULATOR 4 - ASK 8 - ASK 16 - ASK
CARRIER
742
INPUT SECTION
743
1st DATA STREAM INPUT
743a
ECC
744
2nd DATA STREAM INPUT
744b
TRELLIS ENCODER
744a
ECC
757
OUTPUT SECTION
758
1st DATA STREAM OUTPUT
758a
ECC
759
2nd DATA STREAM OUTPUT
759b
TRELLIS ENCODER
759a
ECC
D1
D2
401
VIDEO ENCODER
401a
1st VIDEO ENCODER
401b
2nd VIDEO ENCODER
402
VIDEO DECODER
402a
1st VIDEO DECODER
402b
2nd VIDEO DECODER
(HDTV SIGNAL)
(HDTV SIGNAL)

FIG. 173


748
DC OFFSET
VSB OR QAM SIGNAL
479
1006
D/A
1005
DATA SELECTOR
45s
1007
CLOCK GENERATOR
1003
DC OFFSET
1004
DC OFFSET
VSB / QAM TRANSMITTER
1001
FIR
1002
FIR
2fs
1008
COEFFICIENT VALUE
1000
I/Q MAPPING
745
PROCESSOR
1009
VSB/QAM SELECTOR
742
INPUT
743
1ST DATA STREAM
2ND DATA STREAM
744

FIG. 174


4
VSB / QAM TRANSMITTER
748
OUTPUT
1012
D/A
1007
CLOCK GENERATOR
4fs
1011
FIR
1010
I/Q SELECTOR
1009
VSB/QAM SELECTOR
1000
I/Q MAPPING
I
Q
745
PROCESSOR
1ST DATA STREAM
2ND DATA STREAM

FIG. 175


4
VSB / QAM MODULATOR
1ST DATA STREAM
2ND DATA STREAM
745
PROCESSOR
1000
I/Q MAPPING
1026
FIR
1027
FIR
1020
MULTIPLIER
1021
MULTIPLIER
1022
ADDER
1006
D/A
748
OUTPUT
1023
sin
1024
cos
1025
COUNTER

FIG. 176


ADDRESS CONTROL
1031
PATH MEMORY GROUP
1035
memory address
1030
TRELLIS DECODER
1032
memory #1
1033
memory #1
1034
memory #1

FIG. 177


23
RECEIVER
1047
DECISION
1046
ROTATOR
1045
EQUALIZER
1048
BER COUNTER
1041
INTER-FERENCE DETECTOR
ON/OFF
1042
NTSC REJECTION FILTER
1044
CARRIER OFFSET DETECTOR
1040
I/Q DETECTOR
1043
AFC DETECTOR
752
TUNER
32a

FIG. 178


VSB/QAM RECEIVER
TUNER
1050
BW
6MHz
1051
SAW
44MHz
CONVERTER
1052
5MHz
1053
A/D
4fs
CLOCK
GATE SIGNAL
CLOCK REPRODUCER
1058
AFC
1055
10bit
QAM DETECTOR
1056
ROLL OFF FILTER
1057
16VSB
AFC
AGC DET
1064
EQUALIZER
1059
C/N DETECTOR
1063
CARRIER REPRODUCER
1060
AFC DET
1062
DECISION
1061
VSB det
1054
GATE SIGNAL GENERATOR
1069
DEINTER-LEAVER
1065
TRELLIS DECODER
1066
DEINTER-LEAVER
1067
RS DECODER
1068
OUTPUT

FIG. 179